



# LINEA TITAN Series

## Robust and Efficient Weatherproof IP65 LED Linear Luminaire

- Linea Titan Series in standard and integrated sensor options.
- Dual Output “flicker free” Osram Driver for increased savings.
- 2ft & 4ft Configurations.
- High Luminous Efficiency.
- Premium LG Light Engine.
- LiFEo4 Lithium Battery Pack.
- Impact Resistant Rating IK09.
- 5500K.

## Advanced LED Lighting



Linea Series 5 year extended warranty on Luminaire and 12mths Battery.  
Linea series extended product replacement warranty requires online registration.  
Visit [www.syntechinternational.com.au/warranty](http://www.syntechinternational.com.au/warranty) to register your product.



The LINEA TITAN Series is constructed from high grade UV Stable polycarbonate materials and utilizes the latest high output LED modules from our partner LG.

The luminaire is designed to deliver ultimate protection against water, ice, dust, heat and corrosion (IP65 & IK09).

For optimal and effective light spread, the 120° beam angle delivers even brightness across the equipment tray.

A glass free Luminaire eliminates risk, and is ideal for commercial carparks and lively environments.



### HIGH impact resistant, integrated sensor with superior light distribution vales

The Linea Titan has a unique prismatic diffuser which is configured for uniform light distribution, low glare values and comes with a IK09 impact resistance rating.


The luminaire is designed to deliver uniform light from its premium LG light engine and Osram “flicker free” LED driver.

Sensor and light harvest options increase the overall energy efficiency, especially when natural light is visible.



### Zero Maintenance

The Linea Titan Series incorporates a “Quick Fit” Solid State light engine and equipment Tray. The light engine and equipment tray can be removed during installation to allow uninhibited access during initial mains cabling procedure. The low voltage tray is then connected via the Quick connect terminal block prior to connecting of the main power.



### Ultra-long life

The Linea Titan Series is backed by a 5 year commercial product replacement warranty for complete assurance of performance reliability.

(\*Battery Pack carries the industry standard 12 month warranty)



### LINEA TITAN SERIES

At Syntech, we believe that a manufacturers warranty is your assurance of quality. This is why the Linea Titan Series is supported by a full five-year product replacement warranty.

All Syntech products comply to the latest AS/NZS Lighting Standards.


TO REGISTER YOUR WARRANTY, SIMPLY GO TO [www.syntechinternational.com.au/warranty](http://www.syntechinternational.com.au/warranty)

# Linea Titan Specifications



## High Performance IP65 LED Linear Luminaire

- Heavy-duty and slimline profile.
- Instant start up, “flicker-free” premium OSRAM driver.
- Available in Standard and Emergency variants.
- Efficient installation via a “quick connect” cable system.
- Dual Power Settings.
- Reduced maintenance cost.
- Long operating life.
- Standard, sensor and light harvesting options available.



- Standard and Sensor options.
- 2Ft Dual output 18w/gw.
- 4Ft Dual output 36w/18w.
- Standard and Emergency variants.

### Standard & Emergency Luminaire - No Sensor

CODE	DESCRIPTION	COLOUR TEMP	LED	LUMENS	LPW	IP
SYN-LSM-ELL-2FT-18W	LINEA TITAN 2 Foot 18W Standard IP65 Solid State Luminaire.	5500k	9W/18W	1980	110lm	IP65
SYN-LSM-ELL-2FT-18WEM	LINEA TITAN 2 Foot 18W Emergency IP65 Solid State Luminaire.	5500k	9W/18W	1980	110lm	IP65
SYN-LSM-ELL-4FT-36W	LINEA TITAN 4 Foot 36W Standard IP65 Solid State Luminaire.	5500k	18w/36W	3960	110lm	IP65
SYN-LSM-ELL-4FT-36WEM	LINEA TITAN 4 Foot 36W Emergency IP65 Solid State Luminaire.	5500k	18w/36W	3960	110lm	IP65

### Standard & Emergency Luminaire Occupancy Sensor & Light Harvest

CODE	DESCRIPTION	COLOUR TEMP	LED	LUMENS	LPW	IP
SYN-LSM-ELL-2FT-S18W	LINEA TITAN 2 foot 18W ON/OFF SENSOR IP65 Standard Solid State Luminaire.	5500k	9W/18W	1980	110lm	IP65
SYN-LSM-ELL-2FT-S18WEM	LINEA TITAN 2 foot 18W ON/OFF SENSOR IP65 Emergency Solid State Luminaire.	5500k	9W/18W	1980	110lm	IP65
SYN-LSM-ELL-4FT-S36W	LINEA TITAN 4 foot 36W ON/OFF SENSOR IP65 Standard Solid State Luminaire..	5500k	18w/36W	3960	110lm	IP65
SYN-LSM-ELL-4FT-S36WEM	LINEA TITAN 4 foot 36W ON/OFF SENSOR IP65 Emergency Solid State Luminaire.	5500k	18w/36W	3960	110lm	IP65

### Standard & Emergency Luminaire Multi Sensor

CODE	DESCRIPTION	COLOUR TEMP	LED	LUMENS	LPW	IP
SYN-LSM-ELL-2FT-MS18W	LINEA TITAN 2 foot 18W MULTI SENSOR IP65 Standard Solid State Luminaire.	5500k	9W/18W	1980	110lm	IP65
SYN-LSM-ELL-2FT-MS18WEM	LINEA TITAN 2 foot 18W MULTI SENSOR IP65 Emergency Solid State Luminaire.	5500k	9W/18W	1980	110lm	IP65
SYN-LSM-ELL-4FT-MS36W	LINEA TITAN 4 foot 36W MULTI SENSOR IP65 Standard Solid State Luminaire.	5500k	18w/36W	3960	110lm	IP65
SYN-LSM-ELL-4FT-MS36WEM	LINEA TITAN 4 foot 36W MULTI SENSOR IP65 Emergency Solid State Luminaire.	5500k	18w/36W	3960	110lm	IP65



[syntechinternational.com.au](http://syntechinternational.com.au)  
1300 721 820